

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	4543 15	binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 14:39
2	L2	1153 78	extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 14:39
3	L3	2966 36	pigment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 14:39
4	L4	1550 56	continuous near5 (process or production)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 14:40
5	L5	7358 63	@pd>20031230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 14:40
6	L6	64	1 and 2 and 3 and 4 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 14:47
7	L7	169	1 and 2 and 3 and (liquid or aqueous) near5 (coating or composition) and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:03
8	L8	142	7 not 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 14:59
9	L10	24	1 same 2 same 3 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:34
10	L12	461	4 near10 (liquid or aqueous) near5 (coating or composition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:12

	L #	Hits	Search Text	DBs	Time Stamp
11	L13	36	12.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:03
12	L14	6	13 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:05
13	L15	40	12 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:07
14	L16	24	15 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:07
15	L17	78	1 and 2 same 3 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:11
16	L18	54	17 not 10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:11
17	L19	104	4 near10 (liquid or aqueous) near5 (coating or composition)	EPO; JPO; DERWENT	2004/06/ 09 15:13
18	L20	187	2 same 3 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:35
19	L21	109	20 not (17 10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:47
20	L22	2	("20020193466").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:47

	L #	Hits	Search Text	DBs	Time Stamp
21	L23	2	22 and viscous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:47
22	L24	168	1 and 3 and extruder and high adj shear adj mixer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 16:08
23	L25	14	1 and 3 and extruder and high adj shear adj mixer.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 15:50
24	L28	166	24 and (temperature or c!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 16:14
25	L29	145	28 and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 16:17
26	L30	38	29 and 2 same 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 09 16:17

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	7322 60	@pd>20031230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:29
2	L2	4409	((524/556) or (524/563) or (524/590) or (524/601) or (524/612)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:30
3	L3	118	1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:30
4	L4	2300 0	continuous adj production	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:30
5	L5	1153 17	extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:30
6	L6	1662	liquid adj coating and pigment and binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:30
7	L7	4791 9	continuous adj process	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:30
8	L8	1	3 and (4 7) and 5 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:37
9	L9	17	3 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:33
10	L10	248	1 and continuous and extruder and pigment and binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:24

	L #	Hits	Search Text	DBs	Time Stamp
11	L11	8	1 and (4 7) near10 (liquid or aqueous) near5 coating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:04
12	L12	3	kramer.in. and domke.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:51
13	L13	2	("20030092799").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:51
14	L14	1	13 and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:52
15	L15	1	13 and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:52
16	L16	8661	process near5 liquid near5 (coating or composition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:55
17	L17	459	1 and 16	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:55
18	L18	15	17 and binder and pigment and extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:00
19	L19	27	17 and pigment and extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:56
20	L20	12	19 not 18	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:56

	L #	Hits	Search Text	DBs	Time Stamp
21	L21	1402	16.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:56
22	L22	35	16 same extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 08:59
23	L23	2	("20020193466").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:00
24	L24	392	(523/351).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:00
25	L25	14	24 and binder and pigment and extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:01
26	L26	5	24 and 16	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:01
27	L27	113	24 and pigment and extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:02
28	L28	10	27 and (liquid or aqueous) near5 (coating or composition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:05
29	L29	11	27 and add\$5 near5 solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:09
30	L30	348	binder same extruder same pigment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:09

	L #	Hits	Search Text	DBs	Time Stamp
31	L31	72	30 and add\$5 near5 solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:09
32	L32	157	30 and continuous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:13
33	L33	45	1 and continuous and extruder same pigment and binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:26
34	L34	301	1 and pigmented near5 coating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:28
35	L35	63	34 and extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:26
36	L36	9	1 and pigmented near5 liquid near5 coating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 07 09:28

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	3791	liquid adj binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:26
2	L2	1153 78	extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:12
3	L3	2966 36	pigment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:12
4	L4	1399 993	continuous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 08:51
5	L5	48	1 and 2 and 3 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:27
6	L6	49	1 and 2 and 3 and (liquid or aqueous) near5 (coating or composition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 08:56
7	L7	0	1 same 2 same 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 08:56
8	L8	1455 9	liquid near4 binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:06
9	L9	6	8 same 2 same 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 08:56
10	L10	266	1 and ink	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 08:57



	L #	Hits	Search Text	DBs	Time Stamp
11	L11	90	8 near5 molten	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:13
12	L12	2	("20020193466").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:13
13	L13	2	12 and liquid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:13
14	L14	0	12 and liquid near5 binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:13
15	L15	1	12 and molten	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:13
16	L16	3791	liquid adj binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:15
17	L19	330	molten adj binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:16
18	L20	33	16 and 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:16
19	L21	4	16 same 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:16
20	L22	330	molten adj binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:27

	L #	Hits	Search Text	DBs	Time Stamp
21	L23	1848	molten near5 binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:27
22	L24	3737 2	molten near5 (binder or resin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:12
23	L25	1061	24 and 2 and 3 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:59
24	L26	61	24 same 2 same 3 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:01
25	L27	16	5017451.URPN.	USPAT	2004/06/ 08 09:29
26	L28	3	24 same 2 same 3 and liquid adj coating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:43
27	L29	20	24 same 2 same 3 and add\$4 near5 solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:43
28	L31	12	24 and 2 same 3 and liquid adj coating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:43
29	L32	71	24 and 2 same 3 and add\$4 near5 solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:47
30	L33	2	("20030092799").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:47
31	L34	1	33 and (molten or melt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:48

	L #	Hits	Search Text	DBs	Time Stamp
32	L35	2	wo-9745476-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:50
33	L36	9	((("5087645") or ("5641089") or ("5354804") or ("3374193"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:50
34	L30	214	24 and 2 same 3 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 09:53
35	L37	289	24 and 2 and 3 and liquid near5 (coating or composition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:14
36	L38	236	37 and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:00
37	L39	94	24 same 2 same 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:02
38	L40	51	39 and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:02
39	L41	35	24 and 2 and 3 and liquid near5 (coating or composition).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:06
40	L42	19	24 and 2 and 3 and liquid near5 (coating or composition).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:07
41	L43	2	("5087645").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:10
42	L44	1772	molten near5 (binder or resin)	USOCR	2004/06/ 08 10:12

	L #	Hits	Search Text	DBs	Time Stamp
43	L45	8822	extruder	USOCR	2004/06/08 10:12
44	L46	41358	pigment	USOCR	2004/06/08 10:12
45	L47	193	44 same 45 same46	USOCR	2004/06/08 10:12
46	L48	22	44 same 45 same 46	USOCR	2004/06/08 10:13
47	L49	53	44 and 45 and 46	USOCR	2004/06/08 10:13
48	L50	1258	24 and liquid near5 (coating or composition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:14
49	L51	125	24 and liquid near5 (coating or composition)	EPO; JPO; DERWENT	2004/06/08 11:24
50	L53	2	52 and (temperature or c!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:56
51	L54	1	52 and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:37
52	L55	0	52 and homogeniz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:37
53	L56	1	52 and (mill or phase adj inversion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:49
54	L57	1	52 and discharge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:49
55	L58	1	52 and extruder same (temperature or c!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:55

	L #	Hits	Search Text	DBs	Time Stamp
56	L59	2	("20030092799").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:55
57	L60	1	59 and extruder same (temperature or c!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:57
58	L61	1	59 and (temperature or c!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:26
59	L62	0	59 and discharge same (temperature or c!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 10:58
60	L52	2	("5017451").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:10
61	FAM ILY	1	1991-171194.NRAN.	DERWENT	2004/06/ 08 11:09
62	L64	3	("4760009"   "4783389"   "4912010").PN.	USPAT	2004/06/ 08 11:09
63	L65	11	discharg\$3 near5 extruder same add\$4 near5 solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:11
64	L66	392	(523/351).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:22
65	L67	0	66 and liquid near5 (coating or composition)	EPO; JPO; DERWENT	2004/06/ 08 11:24
66	L68	26	66 and liquid near5 (coating or composition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:32
67	L69	7	66 and (liquid or molten) near5 binder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:25

	L #	Hits	Search Text	DBs	Time Stamp
68	L70	184	66 and extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:33
69	L71	113	70 and pigment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:26
70	L72	112	71 and (temperature or c!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:27
71	L75	40	72 and (liquid or molten) near5 (binder or resin or polymer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:31
72	L76	33	75 and dispersion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:31
73	L77	37	66 and (liquid or aqueous) near5 (coating or composition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:33
74	L78	16	77 and extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:34
75	L79	40	66 and pigment same extruder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/ 08 11:34